

varieties, competence & service

Levantina




early ware potato with big sized tubers

- mainly firm cooking
- light yellow flesh colour
- nice looking tubers

Levantina

early ware potato with big sized tubers in regular size

Variety characteristics			
Maturity	early	Tuber Tuber shape Eye depth Skin Flesh colour Raw discolouration	
Cooking Type (EAPR)	B		
Consumption quality	mainly firm cooking variety; good taste; light yellow flesh colour		
Yield	high yields with big sized tubers	Resistances PCN Potato Leafroll Virus Leaf blight Tuber blight Rhizoctonia Common scab	
Youth development	rapid		
Dormancy	low - medium	Sensitivities Spraing Bruising Mechanical damage	
Growing recommendations			
Site requirements	medium to high demands to the soil, water and nutrient supply		
Planting	planting density	approx. 40.000 plants/ha (seed size 35/55 mm) => check QR Code for more details	
	planting depth	normal	
	seed preparation	sprouting stimulation is generally advantageous	
	seed dressing	preventive control of <i>Rhizoctonia solani</i> is generally recommended	
Foliage	routine protective control of late blight is recommended		
Herbicides	slightly sensitive to Metribuzin		
Fertilization			further information
Nitrogen	medium - compared with local standard		
Phosphorus	100 kg/ha (at planting, water soluble phosphate)		
Potassium	250 - 300 kg/ha		
Magnesium	80 kg/ha		

All particulars are based on official variety trials and/or our own experience.
However, as potatoes are natural products we cannot undertake any liability for these details.

EUROPLANT Pflanzenzucht GmbH

P. O. Box 1380 · D-21303 Lüneburg · tel.: +49 4131 748005 · fax: +49 4131 7480580
mail: europlant@europlant.biz · www.europlant.biz